

## **Amendments to the Claims:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

Cancel claims 1 - 23 and replace with claims 24 - 46.

Claims 1 - 23. Cancelled.

24. (New) An organic silicone copolymer or hydrolysis product thereof, prepared by comprising polymerizing monomers comprising:

a1)  $\geq 50\%$  by weight of at least one vinyl ester of optionally branched alkyl carboxylic acids having from 1 to 15 carbon atoms, and

a2) from 0 to 20% by weight of one or more monounsaturated olefins and/or dienes, and

b) from 1 to 50% by weight of one or more silicones of the formula  $R^1_a R_{3-a} SiO(SiR_2O)_n SiR_{3-a} R^1_a$ , in which each R is an identical or different monovalent, optionally substituted  $C_{1-18}$  alkyl or  $C_{1-18}$  alkoxy radical,  $R^1$  is a polymerizable group, a is 0 or 1, and n is 10 to 1000,

from 85 to 100% by weight of the silicones b) containing one or two polymerizable groups, with silicones b) having only one polymerizable group (b1) used only in admixture with silicones b) having two polymerizable groups (b2) in a weight ratio b1):b2)  $\leq 1:1$ , and

c) from 0 to 10% by weight of one or more ethylenically unsaturated hydrolyzable silicon compound monomers or mercaptosilane monomers,

the amounts in % by weight for components a) to c) based on the overall weight of the monomers used and adding up to 100% by weight,

in a nonaqueous solvent in the presence of at least one free-radical initiator, wherein the nonaqueous solvent comprises a mixture of at least two nonaqueous solvents of which at least one has a transfer constant  $C_s$  to vinyl acetate of greater than  $20 \cdot 10^{-4}$  at  $70^\circ C$ , and optionally hydrolyzing the product thus obtained.

25. (New) The product of claim 24 having a complex melt viscosity of from 5 to 30,000 Pas and a phase angle  $\delta$  of  $\leq 45^\circ$ , measured at a temperature within the range of 100°C to 140°C.

26. (New) The product of claim 24, wherein at least one silicone b) is selected from the group consisting of  $\alpha,\omega$ -divinyl-polydimethylsiloxanes,  $\alpha,\omega$ -di(3-acryloyloxypropyl)-polydimethylsiloxanes,  $\alpha,\omega$ -di(3-methacryloyloxypropyl)-polydimethylsiloxanes,  $\alpha$ -monovinyl-polydimethylsiloxanes,  $\alpha$ -mono(3-acryloyloxypropyl)-polydimethylsiloxanes,  $\alpha$ -mono(acryloyloxymethyl)-polydimethylsiloxanes, and  $\alpha$ -mono(3-methacryloyloxypropyl)-polydimethylsiloxanes.

27. (New) The product of claim 24, wherein silicone b) comprises  $\alpha,\omega$ -divinyl-polydimethylsiloxane(s); a binary mixture of  $\alpha,\omega$ -divinyl-polydimethylsiloxane(s) and  $\alpha$ -monovinyl-polydimethylsiloxane(s); or a ternary mixture of  $\alpha,\omega$ -divinylpolydimethylsiloxanes,  $\alpha$ -monovinylpolydimethylsiloxanes, and non-functionalized polydimethylsiloxanes.

28. (New) The product of claim 27, wherein in the binary and ternary mixtures, the fraction of the non-functional polydialkylsiloxanes is up to 15% by weight, and the fraction of difunctional polydialkylsiloxanes is at least 50% by weight, based in each case on the overall weight of the silicone fraction b).

29. (New) The product of claim 24, wherein said hydrolyzable silane monomers c) comprise ethylenically unsaturated and hence copolymerizable silicon compounds of the general formula  $R^3SiR^{2}_{0.2}(OR^4)_{1.3}$ , in which  $R^2$  is a  $C_1$  to  $C_3$  alkyl radical,  $C_1$  to  $C_3$  alkoxy radical, or halogen;  $R^3$  is  $CH_2=CR^3-(CH_2)_{0.1}$  or  $CH_2=CR^5CO_2(CH_2)_{1.3}$ ;  $R^4$  is an optionally branched, optionally substituted  $C_{1-12}$  alkyl radical or is a  $C_{2-12}$  acyl radical,  $R^4$  optionally being interrupted by an ether group; and  $R^5$  is H or  $CH_3$ .

30. (New) The product of claim 24, wherein monomer(s) a) are selected from the group consisting of vinyl acetate; vinyl acetate and ethylene; vinyl acetate and vinyl

esters of  $\alpha$ -branched monocarboxylic acids having 9 or 10 carbon atoms; and vinyl acetate, ethylene, and vinyl esters of  $\alpha$ -branched monocarboxylic acids having 9 or 10 carbon atoms; and silicone(s) b) are selected from the group consisting of a binary mixture of  $\alpha,\omega$ -divinylpolydimethylsiloxane(s) with  $\alpha$ -monovinylpolydimethylsiloxane(s); and a ternary mixture of  $\alpha,\omega$ -divinylpolydimethylsiloxane(s),  $\alpha$ -monovinylpolydimethylsiloxane(s), and non-functionalized polydimethylsiloxane(s).

31. (New) The product of claim 24, wherein the solvent mixture comprises one or more solvents selected from the group consisting of tetrahydrofuran, chloroform, heptane, cyclohexane, petroleum ether, diethyl ether, methyl ethyl ketone, p-dioxane, ethyl acetate, methyl acetate, isopropanol, ethanol, methanol, t-butanol, acetone, toluene, and benzene.

32. (New) The product of claim 24, wherein the fraction of solvent with  $C_s > 20 \times 10^{-4}$  in the solvent mixture is from 3 to 50% by weight based on the total weight of solvent.

33. (New) The product of claim 24, wherein the solvent mixture comprises ethanol, isopropanol, or mixtures thereof.

34. (New) The product of claim 24, wherein the solvent mixture comprises a mixture of ethyl acetate and isopropanol.

35. A process for preparing an organic silicone copolymer or hydrolysis product thereof of claim 24, comprising polymerizing:

a1)  $\geq 50\%$  by weight of at least one vinyl ester of optionally branched alkyl carboxylic acids having from 1 to 15 carbon atoms, and

a2) from 0 to 20% by weight of one or more monounsaturated olefins and/or dienes, and

b) from 1 to 50% by weight of one or more silicones of the formula  $R^1_a R_{3-a} SiO(SiR_2O)_n SiR_{3-a} R^1_a$ , in which each R is an identical or different monovalent, optionally

substituted  $C_{1-18}$  alkyl or  $C_{1-18}$  alkoxy radical,  $R^1$  is a polymerizable group,  $a$  is 0 or 1, and  $n$  is 10 to 1000,

from 85 to 100% by weight of the silicones b) containing one or two polymerizable groups, with silicones b) having only one polymerizable group (b1) used only in admixture with silicones b) having two polymerizable groups (b2) in a weight ratio b1):b2)  $\leq 1:1$ , and

c) from 0 to 10% by weight of one or more ethylenically unsaturated hydrolyzable silicon compound monomers or mercaptosilane monomers,

the amounts in % by weight for components a) to c) based on the overall weight of the monomers used and adding up to 100% by weight,

in a nonaqueous solvent in the presence of at least one free-radical initiator, wherein the nonaqueous solvent comprises a mixture of at least two nonaqueous solvents of which at least one has a transfer constant  $C_s$  to vinyl acetate of greater than  $20 \cdot 10^{-4}$  at  $70^\circ\text{C}$ , and optionally hydrolyzing the product thus obtained.

36. (New) The process of claim 35, wherein from 3 to 40% by weight of a mixture of the monomers a), b), and optionally c) is introduced as an initial charge into a polymerization reactor, and the remainder of the monomers a), b), and optionally c) is metered in as a mixture.

37. (New) The process of claim 35, comprising hydrolyzing an organic silicone copolymer product in alcoholic solution in the presence of an acidic or an alkaline catalyst.

38. (New) A release agent or coating material for producing adhesive coatings, comprising the product of claim 25.

39. (New) A coating material for coating textile, paper, wood, films, or metals, comprising the product of claim 25.

40. (New) A weathering-resistant coating or sealant for use in architectural preservation comprising the product of claim 25.

41. (New) A polymer modifier or a water repellent, comprising the product of claim 25.

42. (New) A cosmetic additive, comprising the product of claim 25.

43. (New) A polish, comprising the product of claim 25.

44. (New) An antifoam, comprising the product of claim 25.

45. (New) A textile treatment composition, comprising the product of claim 25.

46. (New) In a cementitious or noncementitious construction material, wherein one or more polymer additives are employed, the improvement comprising employing as at least one polymer additive, the product of claim 25.